

# RESIDENTIAL AWNING WINDOW




## FEATURES

- 01** Provides natural airflow throughout the year (including during light rain)
- 02** Folding key lockable, stainless steel chain winder for added security
- 03** Full joint sealing for superior weatherproofing performance
- 04** Conveniently located key cylinders for easy operation
- 05** Superior stability and strength thanks to 100mm frames
- 06** Optional upgrade to twin winders for improved operation of the largest and heaviest sashes
- 07** Integrated screen track to support flyscreen, safety or supascreens
- 08** Tested to Australian standards


## PERFORMANCE

|                      |            |
|----------------------|------------|
| Frame sizes          | 100mm      |
| Max. window height   | 6200mm     |
| Max. window width    | 6450mm     |
| Max. panel height    | 2400mm     |
| Max. panel width     | 2150mm     |
| Max. panel weight    | 74kgs      |
| Max. water rating    | 600pa      |
| Max. wind rating     | 6000Pa ULS |
| Max. glass thickness | 24mm       |
| Max. acoustic rating | Rw38       |
| Max. bushfire rating | BAL 40     |


# STANDARD CONFIGURATIONS



A




AA



AAA



A/F



AA/FF

# STANDARD SIZES

**Stud Opening Size**

660mm

960mm

1260mm

1560mm

1860mm

2160mm

**Frame Size**

610mm

910mm

1210mm


1510mm

1810mm


2110mm

950mm


900mm




A0906




A0909




A0912



AA0915




AA0918




AAA0921

1250mm


1200mm



A1206



A1209




A1212



AA1215




AA1218




AAA1221

1550mm


1500mm




A1506




A1509




A1512



AA1515




AA1518




AAA1521

1850mm


1800mm




A1806




A1809




A1812



AA1815




AA1818




AAA1821

2150mm


2100mm



A/F2106



A/F2109




A/F2112



AA/FF2115



AA/FF2118



AAA/FFF2121




## UPGRADE OPTIONS



### **FlameShield**

If you are constructing in a bushfire-prone area, you are required to use bushfire rated building materials for construction.




### **Sound Smart**

Face a heavily trafficked road and you can't hear yourself think? The Sound Smart range will turn a busy thoroughfare into a blissful urban hum.



### **Solar Comfort**

It is a cost effective way to keep homes at a comfortable temperature all year round, acting as extra insulation from outside elements.



### **Double Glazing**

It is designed to reduce the amount of warmth lost during winter and prevent unwanted heat gain during summer