


PRESTIGE DOUBLE HUNG WINDOW





FEATURES


01	Superior strength with robust 100mm frames	05	Sump sill for extreme weather conditions
02	Easy to operate due to multi- spring balance system and unique stabilising roller system	06	Stylish, high quality hardware that's functional and aesthetically pleasing
03	Sashes operate and are contained within the window frame	07	Integrated screen track to support flyscreen, safety or supascreens
04	Conveniently located key cylinders for easy operation	08	Tested to Australian standards


PERFORMANCE


Frame sizes	100mm
Max. window height	2450mm
Max. window width	3690mm
Max. panel width	1230mm
Max. panel weight	42kgs
Max. water rating	600pa
Max. wind rating	6000Pa ULS
Max. glass thickness	20mm
Max. acoustic rating	Rw35
Max. bushfire rating	BAL 40



STANDARD CONFIGURATIONS








STANDARD SIZES







UPGRADE OPTIONS



FlameShield


If you are constructing in a bushfire-prone area, you are required to use bushfire rated building materials for construction.



Solar Comfort

It is a cost effective way to keep homes at a comfortable temperature all year round, acting as extra insulation from outside elements.





Face a heavily trafficked road and you can't hear yourself think? The Sound Smart range will turn a busy thoroughfare into a blissful urban hum.



Double Glazing

It is designed to reduce the amount of warmth lost during winter and prevent unwanted heat gain during summer